



Medical Benefits	Basic MEC
Preventive / Wellness	Covered 100%
Rx Discount Program	Included

¹The Basic MEC plan excludes out-of-network services and covers only the services listed above and on the covered services page.

Highlights of Your Plan:

- 22 preventive services for adults
- 22 additional services for women
- 29 services for children



- 2. When selecting your network, choose "PHCS," then "Preventive Services Only"
- 3. Enter one of the search criteria suggested in the search box to begin your search
- 4. If your browser settings don't allow your location to be detected, enter a zip code

ULTIMATE MEC



Madian David Cha	
Medical Benefits	Ultimate MEC
Preventive / Wellness	Covered 100%
Primary Care / Specialist Visits	\$15 Copay
Urgent Care	\$50 Copay
Laboratory Services / X-Rays	\$50 Copay
Generic Rx	Tier 1: \$10 or less, Tier 2: \$25 or less
Brand Rx	Tier 3: \$50 or less, Tier 4: \$75 or less
Virtual Health Benefits	freshbenies®
24/7/365 Telehealth	Included
Behavioral Health	\$50 fee / max 3 per year
benieWALLET	Included

¹The Ultimate MEC plan excludes out-of-network services and covers only the services listed above and on the covered services page.

²Rx benefits are subject to the formulary drug list. To see a list of covered drugs, visit <u>www.sbmabenefits.com/smithrxformulary</u>. Amounts listed are based on a unit quantity of 30 for a 30-day supply. Pricing may vary based on quantity and supply.

³Virtual Health Benefits are offered through freshbenies[®]. Members have access to 1) physician visits via phone or video, with prescriptions sent directly to the member's pharmacy, when medically necessary and 2) therapist consultations via video at \$50 each (max 3 visits - \$85 after)

Preventive Services covered 100% All other Services covered at a copay

Virtual Health Benefits

Locating a participating provider in the PHCS network all begins with the specific network logo on the front of your medical ID card. Please locate the PHCS logo on your card and follow the instructions below.



By phone: call 1.888.263.7543

Online: visit <u>www.multiplan.com</u> and click "Find a Provider" located in the top right-hand corner and follow the steps below

- After acknowledging you have read the disclaimer at the bottom of the screen, click on the green "Select Network" button
- 2. When selecting your network, choose "PHCS," then "Specific Services"
- 3. Enter one of the search criteria suggested in the search box to begin your search
- 4. If your browser settings don't allow your location to be detected, enter a zip code

freshbenies°

freshbenies gives convenient access to virtual doctor visits and more!

Telehealth: Call anytime, visit with a US-based, licensed doctor and get a prescription written, if medically necessary - at NO COST. Behavioral Telehealth: Schedule consultations with therapists at a fraction of the cost of typical in-person visits. benieWALLET: Store and access all your health-related cards in one, easy place so they're ready anytime, anywhere. To access your services, log in at <u>freshbenies.com</u>, download the freshbenies[®] app or call 1.855.373.7450

Using Your Prescription Drug Card at Retail Pharmacies Smi+hR

Present your medical card with your prescription to any of our 67,000+ retail pharmacies every time you fill your prescription. You can access a participating pharmacy list at www.mysmithrx.com. For additional support, call **1.844.454.5201**



Covered Services for Adults

- Abdominal Aortic Aneurysm one-time screening for men of specified ages who have ever smoked
- Alcohol Misuse screening and counseling
- Aspirin use to prevent cardiovascular disease for men and women of certain ages
- Blood Pressure screening for all adults
- Cholesterol screening for adults of certain ages or at higher risk
- Colorectal Cancer screening for adults over 50
- Depression screening for adults
- Diabetes (Type 2) screening for adults with high blood pressure
- Diet counseling for adults at higher risk for chronic disease
- Falls prevention (with exercise or physical therapy and vitamin D use) for adults 65 years and over
- Hepatitis B screening for people at higher risk
- Hepatitis C screening for adults at increased risk, and one time for everyone born 1945 -1965
- HIV screening for everyone ages 15 to 65, and other ages at increased risk
- Immunization vaccines for adults doses, recommended ages, and recommended populations vary: Hepatitis A, Hepatitis B, Herpes Zoster, Human Papilloma virus, Influenza (Flu Shot), Measles, Mumps, Rubella, Meningococcal, Pneumococcal, Tetanus, Diphtheria, Pertussis and Varicella
- Lung cancer screening for adults 55 80 at high risk for lung cancer because they're heavy smokers or have quit in the past 15 years
- Obesity screening and counseling for all adults
- Sexually Transmitted Infection (STI) prevention counseling for adults at higher risk
- Statin preventive medication for adults 40 to 75 years at higher risk
 Surbilis exception for all a dults at high angle
- Syphilis screening for all adults at higher risk
- Tobacco use screening for all adults and cessation interventions for tobacco users
- Tuberculosis screening for certain adults with symptoms at higher risk

Covered Services for Women

- Anemia screening on a routine basis for pregnant women
- Breast Cancer Genetic Test Counseling (BRCA) for women at higher risk for breast cancer (counseling only; not testing)
- Breast Cancer Mammography screenings every 1 to 2 years for women over 40
- Breast Cancer chemoprevention counseling for women at higher risk
- Breastfeeding comprehensive support and counseling from trained providers, and access to breastfeeding supplies, for pregnant and nursing women
- Cervical Cancer screening
- Chlamydia Infection screening for younger women and other women at higher risk
- Contraception: Food and Drug Administration-approved contraceptive methods, sterilization procedures, and patient education and counseling, as prescribed by a health care provider for women with reproductive capacity (not including abortifacient drugs). This does not apply to health plans sponsored by certain exempt "religious employers."
- Diabetes screening for women with a history of gestational diabetes who aren't currently pregnant and who haven't been diagnosed with type 2 diabetes before
- Domestic and interpersonal violence screening and counseling for all women
- Folic Acid supplements for women who may become pregnant
- Gestational diabetes screening for women 24 to 28 weeks pregnant and those at high risk of developing gestational diabetes
- Gonorrhea screening for all women at higher risk
- Hepatitis B screening for pregnant women at their first prenatal visit
- HIV screening and counseling for sexually active women
- Human Papilloma virus (HPV) DNA Test every 5 years for women with normal cytology results who are 30 or older
- Osteoporosis screening for women over age 60 depending on risk factors

Covered Services for Women (continued)

- Preeclampsia prevention and screening for pregnant women and follow-up testing for women at higher risk
- Rh Incompatibility screening for all pregnant women and follow-up testing for women at higher risk
- Sexually Transmitted Infections counseling for sexually active women
- Syphilis screening for all pregnant women or other women at increased risk
- Tobacco use screening and interventions for all women, and expanded counseling for pregnant tobacco users
- Urinary tract or other infection screening, including urinary incontinence
- Well-woman visits to get recommended services for women under 65

Covered Services for Children

- Alcohol and Drug Use assessments for adolescents
- Autism screening for children at 18 and 24 months
- Behavioral assessments for children at the following ages: 0 to 11 months, 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years.
- Bilirubin concentration screening for newborns
- Blood Pressure screening for children at the following ages: 0 to 11 months, 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years
- Blood screening for newborns
 Convice Dynalogie screening for sexually active
- Cervical Dysplasia screening for sexually active females
- Depression screening for adolescents
- Developmental screening for children under age 3
- Dyslipidemia screening for children at higher risk of lipid disorders at the following ages: 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years.
- Fluoride Chemo prevention supplements for children without fluoride in their water source
- Fluoride varnish for all infants and children as soon as teeth are present
- Gonorrhea preventive medication for the eyes of all newborns
- Hearing screening for all newborns; and for children once between 11 and 14 years, once between 15 and 17 years, and once between 18 and 21 years
- Height, Weight and Body Mass Index measurements for children at the following ages: 0 to 11 months, 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years.
- Hematocrit or hemoglobin screening for all children
- · Hemoglobinopathies or sickle cell screening for newborns
- Hepatitis B screening for adolescents ages 11 to 17 years at high risk
- HIV screening for adolescents at higher risk
- Hypothyroidism screening for newborns
- Immunization vaccines for children from birth to age 18 doses, recommended ages, and recommended populations vary: Diphtheria, Tetanus, Pertussis, Haemophilus influenzae type B, Hepatitis A, Hepatitis B, Human Papillomavirus, Inactivated Poliovirus, Influenza (Flu Shot), Measles, Meningococcal, Pneumococcal, Rotavirus and Varicella
- Iron supplements for children ages 6 to 12 months at risk for anemia
- Lead screening for children at risk of exposure
- Maternal depression screening for mothers of infants at 1, 2, 4, and 6month visits
- Medical History for all children throughout development at the following ages: 0 to 11 months, 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years.
- Obesity screening and counseling
- Oral Health risk assessment for young children Ages: 0 to 11 months, 1 to 4 years, 5 to 10 years.
- Phenylketonuria (PKU) screening for this genetic disorder in newborns
- Sexually Transmitted Infection (STI) prevention counseling and screening for adolescents at higher risk
- Tuberculin testing for children at higher risk of tuberculosis at the following ages: 0 to 11 months, 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years.
- Vision screening for all children.